

# bott vario

Professional Vehicle Equipment  
for your Volkswagen



Estate cars | Amarok | Caddy | T5 | Crafter

Two brands – one system



**PremiumPartner**  
von Volkswagen Nutzfahrzeuge

# bott vario | Feel at home in your Volkswagen




bott tailors equipment to meet your needs in accordance with specific industry requirements.

You've decided to get a Volkswagen. In taking this decision you have created the perfect platform on which to build a bott vario in-vehicle storage solution. Specific bott vario components have been created to match the exact dimensions and manufacturer's fixing points of your Volkswagen vehicle. This ensures the most efficient use of available storage space, a safe and secure installation, and when the time comes - a clean and easy system removal. This applies to pre-configured standard storage modules and customer specific solutions that have been designed, assembled and installed to meet individual requirements. The end result is that your Volkswagen and your bott vario in-vehicle storage solution combine to form a single fully integrated system.



bott vario | The in-vehicle equipment –  
Distinctive, just like your industry



## Our approach to verification.


To build confidence in the safety of your designs, it's always best to get your work checked by a third party. bott voluntarily performs crash tests in conjunction with the automotive industry. Here independent experts test the safety of fully laden in-vehicle equipment.

Are the extreme forces successfully dissipated by the deformation of the bott designed components?

We check and validate all of the lab based pavé, load and shear tests to confirm that the bott solution will withstand such extreme conditions. Realistic in every detail, a vehicle collision is simulated at a speed of 50 km/h. The vehicle is subjected to an acceleration of 20g over a period of 30 milliseconds, in accordance with ECE R44 guidelines.

And when the test was finished, the results were clear. The crash tests showed that both drivers and passengers can safely rely on bott vario.

The video of the crash test:



## bott vario | Tailored to your success

Unforeseen issues can be an everyday occurrence in service and installation work. The highest levels of creativity and professionalism are needed if you are to get the job done. Being prepared for every eventuality means having the right tools, the right fixings and the necessary spare parts at your fingertips. In short - you need the right in-vehicle equipment solution.

The primary goal of in-vehicle equipment is to optimise the organisation of all available storage space. Essential tools and equipment need to be safely transported in the smallest possible space. Whilst on site, quick and easy access to clearly laid out utensils is essential for productive work.



reddot design award  
best of the best 2011

- **modularity**  
individual planning and configuration for optimal organisation of your workspace, tailored precisely to your needs.
- **safety**  
high quality surface finish and crash tested in accordance with ECE R44, because your safety takes priority.
- **lightweight**  
intelligent material combinations and logical component design, for increased payloads with reduced weight.
- **quality**  
uncompromising robustness and stability, designed to withstand many years of use.
- **aesthetics**  
the appearance of bott vario transforms the workplace and guarantees a superior image.

## Optimal workspace organisation

# bott vario Workspace Organisation



# bott vario | Fulfilling every requirement



bott individually designs your equipment for your particular requirements.

Being prepared for every eventuality means being ready for any unexpected task. To follow this philosophy means always having a range of tools and materials on hand, because costly delays due to material collections or forgotten parts are no more acceptable to your customer than they are to you. Your new van has plenty of space to accommodate what needs to be transported. But the more that you fit in, the greater the challenges in maintaining organisation. bott vario ensures a convenient overview of the equipment on-board.

Frequently used tools and materials can be conveniently unloaded through the side and back doors, without ever needing to enter the vehicle. Such ergonomically designed storage spaces can be tailored to your particular requirements with the help of your local bott service partner.



## bott vario | The in-vehicle equipment – Perfectly equipped

# Planning



|  |                       |
|--|-----------------------|
| <br>reddot design award<br>best of the best 2011 | <br>Marke Volkswagen  |
|  | <br>Modell TS 3000    |
|  | <br>Radstand 3 000 mm |
|  | <br>Dachhöhe Normal   |

Maßstab: 1:25  
 Angebots-Nr.: 286H0000991-01  
 Datum: XX.XX.XXXX  
 Zeichnungsnummer: 1 / 7  
 3.45  
 Änderungen vorbehalten

Max Mustermann  
 + 49 (0) 79 71 / 251-251  
 + 49 (0) 79 71 / 251-205  
 max.mustermann@bott.de

Bott GmbH & Co. KG  
 Bahnstr. 17  
 74405 Gaildorf

**PremiumPartner**  
 von Volkswagen Nutzfahrzeuge

# The result







### Analysis

Your bags are ready for loading. Their exact storage location will be decided by you in consultation with your professional bott planning specialist.



### Design and planning

Your bott service partner configures and organises your vehicle workspace based on an analysis of your requirements.



### Certified installation

Only trained professionals are assigned to install the equipment in your vehicle. That's because your safety takes priority.



### Handover

At bott, it's a given that you'll receive introductory training on your system, including lots of advice about service and maintenance.




### Local Service

There's a certified bott service partner near you.

Your service partner is available around the clock to answer questions about your in-vehicle equipment – before, during, and after installation.



## bott vario | Protecting valuable cargo



### Floor and side lining panels

Protect your vehicle from cargo that might damage interior surfaces.

A roof liner with optional integrated lighting provides the ideal finishing touch.

### bott vario Fußbodenplatten



- Light weight, moisture-resistant beech plywood flooring (thickness = 12 mm)
- Surface finish: robust, anti-slip synthetic resin film coating
- Edges: with a waterproof surface coating
- Access to vehicle lashing eyes through removable flooring caps
- Includes fixing kit

### vario protect-light side lining panels



- Corrugated polypropylene panels (thickness = 4 mm)
- extremely lightweight
- Light grey (RAL 7035)
- Includes fixing kit

alternative side lining materials are available:



vario protect-cargo  
Wood composite  
(thickness 4 mm),  
Light grey (RAL 7035)



vario protect-plus  
Aluminium,  
extremely impact-resistant  
with perforated panel



| Length mm   | Clamping bars |
|-------------|---------------|
| 650 - 900   | 850 01 041    |
| 1050 - 1550 | 850 01 039    |
| 1550 - 2050 | 850 01 013    |
| 2000 - 2500 | 850 01 040    |

| Your Volkswagen       | [ 1 ] Floor without tread edge protection | [ 1 ] Floor with tread edge protection | [ 1 ] Floor with lashing rails | Number of lashing rails | [ 2 ] Basic set interior side lining | [ 2+3+4 ] Complete set rear doors + sliding door | [ 2+3+5 ] Complete set tail gate + sliding door | [ 6 ] Vehicle roof liner    |
|-----------------------|---|--|--------------------------------|-------------------------|--------------------------------------|--|---|-----------------------------|
| Caddy                 | 113 20 333                                | 113 10 333                             | 113 12 333                     | 3                       | 122 25 041.95                        | 122 25 042.95                                    | 122 25 042.95                                   | 122 31 006.95               |
| Caddy Maxi            | 113 20 126                                | 113 10 126                             | 113 12 126                     | 4                       | 122 25 043.95                        | 122 25 044.95                                    | 122 25 044.95                                   |                             |
| T5 L1 - H1/H2         | 113 20 328                                | 113 10 328                             | 113 12 328                     | 3                       | 122 25 045.95                        | 122 25 046.95                                    | 122 25 047.95                                   | 122 31 004.95 <sup>2)</sup> |
| T5 L2 - H1/H2         | 113 20 332                                | 113 10 332                             | 113 12 332                     | 3                       | 122 25 048.95                        | 122 25 049.95                                    | 122 25 050.95                                   |                             |
| T5 L2 - H3            | 113 20 332                                | 113 10 332                             | 113 12 332                     | 3                       | 122 25 048.95                        | 122 25 154.95                                    |   |                             |
| Crafter L1 - H1       | 113 20 114                                | 113 10 114                             | 113 12 114                     | 3                       | 122 25 024.95                        | 122 25 028.95                                    |   | 122 31 013.95               |
| Crafter L1 - H2 T*    | 113 20 114                                | 113 10 114                             | 113 12 114                     | 3                       | 122 25 025.95                        | 122 25 029.95                                    |   | 122 31 008.95               |
| Crafter L2 - H1       | 113 20 115                                | 113 10 115                             | 113 12 115                     | 5                       | 122 25 020.95                        | 122 25 022.95                                    |   | 122 31 009.95               |
| Crafter L2 - H2/H3 T* | 113 20 115                                | 113 10 115                             | 113 12 115                     | 5                       | 122 25 021.95                        | 122 25 023.95                                    |   | 122 31 001.95 <sup>1)</sup> |
| Crafter L3 - H2/H3 T* | 113 20 116                                | 113 10 116                             | 113 12 116                     | 6                       | 122 25 026.95                        | 122 25 030.95                                    |   | 122 31 002.95 <sup>1)</sup> |
| Crafter L4 - H2/H3 T* | 113 20 117                                | 113 10 117                             | 113 12 117                     | 7                       | 122 25 027.95                        | 122 25 031.95                                    |   | 122 31 007.95 <sup>1)</sup> |

T\* High roof vehicle options offer full height lining panels <sup>1)</sup> only H2 <sup>2)</sup> only H1



# bott vario | Safety and load securing accessories

## Ventilation



■ Wall / ceiling vents for use when transporting gas cylinders



■ Floor vents for use when transporting gas cylinders

|                  | Dimensions<br>W x D x H mm | Product no.    |
|------------------|----------------------------|----------------|
| Roof / side vent | 205 x 355 x 50             | 808 33 215.10V |
| Floor vent       | 164 x 164 x 80             | 080 32 021     |

## Gas bottle restraint system



- For safely transporting up to 2 gas bottles
- Option 1: with 1 support rail and 1 ratchet strap
- Option 2: with 2 support rails and 2 ratchet straps



| For system depth<br>mm | Design | Rail length<br>mm | Product no.    |
|------------------------|--------|-------------------|----------------|
| 340                    | 1      | 270               | 126 15 007.19V |
| 340                    | 2      | 270               | 126 15 008.19V |
| 440                    | 1      | 370               | 126 15 009.19V |
| 440                    | 2      | 370               | 126 15 010.19V |
| 540                    | 1      | 470               | 126 15 011.19V |
| 540                    | 2      | 470               | 126 15 012.19V |


## Bulkhead window grille



- For driver and passenger protection
- Powder coated steel
- Color: anthracite grey (RAL 7016)
- Grill spacing 25 mm

| Vehicle type      | Product no.    |
|-------------------|----------------|
| Caddy, Caddy Maxi | 122 30 033.19V |
| T5                | 122 30 005.19V |
| Crafter           | 122 30 004.19V |

## Cargo net



- Close-netted, knitted cargo nett
- Secured with cam buckle strap

| Dimensions W x D x H mm | Design     | Product no.    |
|-------------------------|------------|----------------|
| 1250 x 730              | 4x hook    | 626 27 006.19V |
| 1250 x 730              | 4x fitting | 626 27 007.19V |
| 2290 x 1500             | 4x hook    | 626 27 008.19V |
| 2290 x 1500             | 4x fitting | 626 27 009.19V |

## varioSort accessory case



- Set consisting of:**
- 2x ratchet strap (3.5 m) with flat hook and clip
  - 2x ratchet strap (5 m) with hook and ratchet
  - 6x load securing pad
  - 6x edge protection pad
  - Incl. important information on loading safety

- convenient accessory kit for bott in- vehicle equipment with integral lashing points

| Dimensions W x D x H mm | Product no.    |
|-------------------------|----------------|
| 454 x 318 x 88          | 625 11 146.19V |

## Aluminum lashing rail (semi-circular)



- For straps with fitting
- Width 50 mm
- Grid spacing 25 mm pitch
- Optional protective end cap

| Rail length mm     | Product no.    |
|--------------------|----------------|
| 1000               | 679 01 008.98V |
| 1500               | 679 01 009.98V |
| 2000               | 679 01 010.98V |
| 3000               | 679 01 011.98V |
| Per running metre* | 679 01 012.98V |
| End cap (1 piece)  | 850 01 010     |

\* available in 25 mm increments / max. length 3000 mm



## bott vario | Under-floor modules



- Unobstructed loading deck
- Hidden storage aids theft prevention - items cannot be seen from outside
- Convenient access from both rear and sliding doors
- High storage capacity

- Loading deck with integrated lashing eyes
- Full extension drawers
- Load capacity per drawer 50 kg

**The secure solution for your Volkswagen.**

choose from two different installation heights  
(incl. floor panel)



| Your Volkswagen                     | Installation height<br>mm | Rear drawers |      | Rear drawers |                | Product no.    |  |
|-------------------------------------|---------------------------|--------------|------|--------------|----------------|----------------|--|
|                                     |                           | Qty.         | H mm | Qty.         | H mm           |                |  |
| Caddy                               | 210                       | 2x           | 150  | 1x           | 150            | 600 10 038.19V |  |
|                                     | 360                       | 2x           | 300  | 1x           | 300            | 600 10 039.19V |  |
|                                     | 360                       | 2x           | 300  | 2x           | 150            | 600 10 040.19V |  |
|                                     | 360                       | 1x           | 300  | 1x           | 300            | 600 10 041.19V |  |
|                                     |                           |              | 2x   | 150          |                |                |  |
|                                     | 360                       | 2x           | 150  | 2x           | 150            | 600 10 042.19V |  |
|                                     |                           |              | 1x   | 300          |                |                |  |
| Caddy Maxi                          | 360                       | 4x           | 150  | 1x           | 300            | 600 10 043.19V |  |
|                                     | 360                       | 4x           | 150  | 2x           | 150            | 600 10 044.19V |  |
|                                     | 210                       | 2x           | 150  | 1x           | 150            | 600 10 045.19V |  |
|                                     | 360                       | 2x           | 300  | 1x           | 300            | 600 10 046.19V |  |
|                                     | 360                       | 2x           | 300  | 2x           | 150            | 600 10 047.19V |  |
|                                     | 360                       | 2x           | 150  | 1x           | 300            | 600 10 048.19V |  |
|                                     |                           |              | 1x   | 300          |                |                |  |
| 360                                 | 2x                        | 150          | 2x   | 150          | 600 10 049.19V |                |  |
|                                     |                           | 1x           | 300  |              |                |                |  |
| 360                                 | 4x                        | 150          | 1x   | 300          | 600 10 050.19V |                |  |
| 360                                 | 4x                        | 150          | 2x   | 150          | 600 10 051.19V |                |  |
| Caddy Life <sup>(1)</sup>           | 210                       | 2x           | 150  |              |                | 600 10 091.19V |  |
| Caddy Maxi Life <sup>(1)</sup>      | 210                       | 2x           | 150  |              |                | 600 10 092.19V |  |
| Caddy Maxi Life <sup>(1)+ (2)</sup> | 210                       | 2x           | 150  |              |                | 600 10 110.19V |  |
| Amarok Double Cab<br>with Hardtop   | 210                       | 2x           | 150  |              |                | 600 10 089.19V |  |
|                                     | 360                       | 2x           | 300  |              |                | 600 10 090.19V |  |
|                                     | 360                       | 2x           | 150  |              |                | 600 10 108.19V |  |
|                                     |                           |              | 1x   | 300          |                |                |  |
|                                     | 360                       | 4x           | 150  |              |                | 600 10 109.19V |  |


<sup>(1)</sup> 2 x lashing rails have been built into the loading deck, varioCar solution can be integrated, <sup>(2)</sup> suitable for use with vehicles fitted with VW's mesh bulkhead on the C-pillar

# bott vario | Standard modules



Due to its unique modularity, the bott vario system is perfectly suited to creating tailored solutions to meet specific customer requirements.

In many situations however, standard modules can present a convenient and acceptable alternative to bespoke storage solution design. They combine many years of bott design experience and offer standard pre-configured solutions for all trades and applications.



## Safe and secure in transit


Whether it's a Amarok, a Caddy, a T5, or a Crafter; the driver's side or the passenger's side; drawers or storage boxes; bott standard modules will fit into your vehicle perfectly.

Pre-configured modules offer a quick and convenient alternative to bespoke solution design.




## Caddy

### Passenger's side



RS 2682 mm


### Driver's side



RS 2682 mm


## Caddy Maxi

### Passenger's side



RS 3006 mm

### Driver's side



RS 3006 mm

# bott vario | Modules for your Volkswagen Caddy



|                               |                |
|-------------------------------|----------------|
| <b>T 341</b>                  | Product no.    |
| W 775 x D 440/340 x H 1000 mm | 600 99 009.19M |



|                              |                |
|------------------------------|----------------|
| <b>M 331</b>                 | Product no.    |
| W 775 x D 340/240 x H 900 mm | 600 99 019.19M |



|                               |                |
|-------------------------------|----------------|
| <b>M 341</b>                  | Product no.    |
| W 775 x D 440/340 x H 1000 mm | 600 99 055.19M |



|                                |                |
|--------------------------------|----------------|
| <b>T 432</b>                   | Product no.    |
| W 1025 x D 340/240 x H 1000 mm | 600 99 011.19M |



|                                |                |
|--------------------------------|----------------|
| <b>T 532</b>                   | Product no.    |
| W 1275 x D 340/240 x H 1000 mm | 600 99 014.19M |



|                                |                |
|--------------------------------|----------------|
| <b>M 531</b>                   | Product no.    |
| W 1275 x D 340/240 x H 1000 mm | 600 99 061.19M |



|                                |                |
|--------------------------------|----------------|
| <b>T 432</b>                   | Product no.    |
| W 1025 x D 340/240 x H 1000 mm | 600 99 011.19M |



|                                |                |
|--------------------------------|----------------|
| <b>T 532</b>                   | Product no.    |
| W 1275 x D 340/240 x H 1000 mm | 600 99 014.19M |



|                               |                |
|-------------------------------|----------------|
| <b>M 341</b>                  | Product no.    |
| W 775 x D 440/340 x H 1000 mm | 600 99 055.19M |



|                                |                |
|--------------------------------|----------------|
| <b>T 432</b>                   | Product no.    |
| W 1025 x D 340/240 x H 1000 mm | 600 99 011.19M |




|                                |                |
|--------------------------------|----------------|
| <b>T 532</b>                   | Product no.    |
| W 1275 x D 340/240 x H 1000 mm | 600 99 014.19M |




|                                |                |
|--------------------------------|----------------|
| <b>M 531</b>                   | Product no.    |
| W 1275 x D 340/240 x H 1000 mm | 600 99 061.19M |

## A cleverly organised system




### T5 L1

Passenger's side



RS 3000 mm


Driver's side



RS 3000 mm


### T5 L2

Passenger's side



RS 3400 mm

Driver's side



RS 3400 mm



# bott vario | Modules for your Volkswagen T5



|                            |                |
|----------------------------|----------------|
| <b>T 441</b>               | Product no.    |
| W 1025 x D 440 x H 1000 mm | 600 99 012.19M |



|                            |                |
|----------------------------|----------------|
| <b>M 441</b>               | Product no.    |
| W 1025 x D 440 x H 1000 mm | 600 99 021.19M |



|                            |                |
|----------------------------|----------------|
| <b>R 443</b>               | Product no.    |
| W 1025 x D 440 x H 1000 mm | 600 99 046.19M |



|                            |                |
|----------------------------|----------------|
| <b>L 733</b>               | Product no.    |
| W 1775 x D 340 x H 1000 mm | 600 99 047.19M |



|                                |                |
|--------------------------------|----------------|
| <b>L 734</b>                   | Product no.    |
| W 1775 x D 340/240 x H 1100 mm | 600 99 048.19M |



|                                |                |
|--------------------------------|----------------|
| <b>L 741</b>                   | Product no.    |
| W 1775 x D 440/340 x H 1100 mm | 600 99 034.19M |



|                            |                |
|----------------------------|----------------|
| <b>T 541</b>               | Product no.    |
| W 1275 x D 440 x H 1000 mm | 600 99 015.19M |



|                            |                |
|----------------------------|----------------|
| <b>M 541</b>               | Product no.    |
| W 1275 x D 440 x H 1000 mm | 600 99 023.19M |



|                            |                |
|----------------------------|----------------|
| <b>R 541</b>               | Product no.    |
| W 1275 x D 440 x H 1000 mm | 600 99 029.19M |



|                                |                |
|--------------------------------|----------------|
| <b>L 832</b>                   | Product no.    |
| W 2025 x D 340/240 x H 1100 mm | 600 99 049.19M |




|                                |                |
|--------------------------------|----------------|
| <b>L 841</b>                   | Product no.    |
| W 2025 x D 440/340 x H 1200 mm | 600 99 036.19M |




|                                |                |
|--------------------------------|----------------|
| <b>L 941</b>                   | Product no.    |
| W 2275 x D 440/340 x H 1200 mm | 600 99 037.19M |

## Securely stowed




## Crafter L1 Passenger's side




RS 3250 mm

## Driver's side




RS 3250 mm

## Crafter L2 Passenger's side



RS 3665 mm

## Driver's side



RS 3665 mm

# bott vario | Modules for your Volkswagen Crafter



|                            |                |
|----------------------------|----------------|
| <b>T 541</b>               | Product no.    |
| W 1275 x D 440 x H 1000 mm | 600 99 015.19M |



|                            |                |
|----------------------------|----------------|
| <b>M 541</b>               | Product no.    |
| W 1275 x D 440 x H 1000 mm | 600 99 023.19M |



|                            |                |
|----------------------------|----------------|
| <b>R 541</b>               | Product no.    |
| W 1275 x D 440 x H 1000 mm | 600 99 029.19M |



|                                |                |
|--------------------------------|----------------|
| <b>L 841</b>                   | Product no.    |
| W 2025 x D 440/340 x H 1200 mm | 600 99 036.19M |



|                                |                |
|--------------------------------|----------------|
| <b>L 941</b>                   | Product no.    |
| W 2275 x D 440/340 x H 1200 mm | 600 99 037.19M |



|                                |                |
|--------------------------------|----------------|
| <b>L 943</b>                   | Product no.    |
| W 2275 x D 440/340 x H 1400 mm | 600 99 050.19M |



|                            |                |
|----------------------------|----------------|
| <b>T 641</b>               | Product no.    |
| W 1525 x D 440 x H 1000 mm | 600 99 017.19M |



|                            |                |
|----------------------------|----------------|
| <b>M 641</b>               | Product no.    |
| W 1525 x D 440 x H 1100 mm | 600 99 024.19M |



|                            |                |
|----------------------------|----------------|
| <b>R 641</b>               | Product no.    |
| W 1525 x D 440 x H 1100 mm | 600 99 031.19M |



|                                |                |
|--------------------------------|----------------|
| <b>L 841</b>                   | Product no.    |
| W 2025 x D 440/340 x H 1200 mm | 600 99 036.19M |



|                                |                |
|--------------------------------|----------------|
| <b>L 941</b>                   | Product no.    |
| W 2275 x D 440/340 x H 1200 mm | 600 99 037.19M |



|                                |                |
|--------------------------------|----------------|
| <b>L 943</b>                   | Product no.    |
| W 2275 x D 440/340 x H 1400 mm | 600 99 050.19M |

# bott vario | Accessories for your Volkswagen

## Options for all requirements

bott vario offers many vehicle and van racking accessories in addition to the items shown in this catalogue.

Vehicle decals, vehicle steps, luggage racks, loading ramps, flashing beacons, and telecommunications components are just a few examples of the complimentary products offered by bott service partners..



## perfo angled hook



- With wide base plate
- Angled hook end (35 mm)

Pack Quantity  
5

| Dimensions<br>W x D x H x Ø mm | Product no. |
|--------------------------------|-------------|
| 60 x 75 x 60 x 6               | 140 01 121  |

## Document holders



- Anodised aluminium

| Dimensions<br>W x D x H mm | Use                | Product no.    |
|----------------------------|--------------------|----------------|
| 215 x 85 x 275             | DIN A4 portrait    | 625 30 001.97V |
| 320 x 85 x 275             | DIN A4 landscape   | 625 30 002.97V |
| 175 x 93 x 230             | DIN first-aid kits | 625 30 003.97V |
| 114 x 114 x 500            | Long items         | 625 30 004.97V |
| 76 x 76 x 500              | Long items         | 625 30 005.97V |
| 256 x 300 x 82             | DIN A4 diagonal    | 625 30 006.97V |

## Self-securing paper roll holder



- For paper rolls  
max. width 260 mm,  
Ø 280 mm

Pack Quantity  
1

| Dimensions<br>W x D x H mm | Product no.    |
|----------------------------|----------------|
| 315 x 185 x 180            | 630 03 058.19V |

## Water dispenser set



- With aluminum console,  
10L capacity, tap, hose and  
fixing kit
- Incl. bracket for  
soap dispenser

Pack Quantity  
1

| Dimensions<br>W x D x H mm | Product no.    |
|----------------------------|----------------|
| 370 x 185 x 375            | 630 03 059.19V |

## Fuel can holder



- For 5l fuel cans:  
made of anodised  
aluminium
- For 10l / 20l fuel cans:  
Powder-coated steel  
RAL 7016
- Includes securing strap



| No. | Dimensions<br>W x D x H | Suitable for               | Product no.    |
|-----|-------------------------|----------------------------|----------------|
| 1   | 163 x 311 x 215         | for 1x 5l fuel cans        | 630 03 007.97V |
| 2   | 173 x 342 x 243         | for 1x 10l / 20l fuel cans | 630 03 008.19V |
| 3   | 518 x 342 x 243         | for 3x 10l / 20l fuel cans | 630 03 009.19V |

# bott vario | Accessories for your Volkswagen

## Folding worktop



- For working with materials outside the vehicle
- Sheet steel, galvanized
- Cross-laminated natural beech multiplex worktop with an oiled finish

| Design  | Dimensions<br>W x D x H mm | Product no.    |
|---|----------------------------|----------------|
| with vice with swivel base<br>(jaw width = 125mm) | 200 x 300 x 900            | 612 20 006.51V |
| with fixed vice<br>(jaw width = 125 mm)           | 200 x 300 x 900            | 612 20 007.51V |


## Shovel and tool holder for the rear doors



- Can be used for light parts such as aluminium ladders, brooms, shovels and other tools
- Back wall with perforation
- 10 perfo hooks and 2 rubber straps for securing items
- Incl. 2 height-adjustable mounting brackets, for fixing the shovel holder on the vehicle door (suitable for high roof vehicles only)

| Dimensions<br>W x D x H mm | Product no.    |
|----------------------------|----------------|
| 500 x 240 x 1500 mm        | 635 02 032.98V |


## LED strip light 12 V



- On/off switch
- Scattering angle 160°
- Power consumption = 0.6 A
- Plastic housing

| Lumen | Dimensions<br>W x D x H mm | Product no.    |
|-------|----------------------------|----------------|
| 300   | 457 x 32 x 19              | 635 01 002.90V |

## Hose holder



- Die-cast aluminium
- For secure storage of cables and hoses

| Dimensions<br>W x D x H mm | Product no. |
|----------------------------|-------------|
| 190 x 70 x 150             | 140 50 001  |
| 270 x 110 x 200            | 140 50 002  |
| 350 x 140 x 260            | 140 50 003  |
| 420 x 190 x 310            | 140 50 004  |

## Ladder holder, 3-part



- 3-part, for single and double ladders
- For attaching to roof spars
- Simple, ergonomic attachment of the ladder using a folding mechanism
- Color: anthracite grey (RAL 7016)



| Suitable for use with ladder profiles<br>from - to mm | Product no.    |
|---|----------------|
| 70 - 100  | 630 03 083.19V |
| 130 - 160   | 630 03 084.19V |



Other accessories are available in our general catalogue.



## bott vario | Boxes for flatbed trucks

### For organising storage space and securing loads on flatbeds

- Systematic arrangement and securing of loads using subdivided storage compartments
- High stability thanks to robust frame construction
- Excellent weather protection for tools and materials
- Two-point locking mechanism provides enhanced theft protection



# bott vario | Boxes for flatbed trucks

## bottTainer



| External dimensions W x D x H mm | Product no.    |
|----------------------------------|----------------|
| 1750 x 640 x 760                 | 600 20 001.51M |
| 1930 x 640 x 760                 | 600 20 002.51M |

### External access to lower level storage

- Equipped with 2-part false floor
- Side access doors available on either or both sides



| External dimensions W x D x H mm | Position of doors | Product no.    |
|----------------------------------|-------------------|----------------|
| 1750 x 640 x 760                 | Both sides        | 600 20 007.51M |
| 1930 x 640 x 760                 | Both sides        | 600 20 008.51M |
| 1750 x 640 x 760                 | Left or right     | 600 20 005.51M |
| 1930 x 640 x 760                 | Left or right     | 600 20 006.51M |

### Available configurations behind hinged doors



\* bottTainer 1700 mm W max. combination  
1 x system depth 795 / 540 mm

| Fitted with * | Drawer front height mm | Depth mm | Product no.    |
|---------------|------------------------|----------|----------------|
| 1 drawer      | 1 x 300 mm             | 540      | 600 20 011.19M |
|               |                        | 795      | 600 20 014.19M |
| 2 drawers     | 1 x 125 / 1 x 175 mm   | 540      | 600 20 012.19M |
|               |                        | 795      | 600 20 015.19M |
| 3 drawers     | 3 x 100 mm             | 540      | 600 20 013.19M |
|               |                        | 795      | 600 20 016.19M |

## bottTainer with 4 doors and 2 levels



- With fixed intermediate floor
- Upper door opens via side panel

| External dimensions W x D x H mm | Product no.    |
|----------------------------------|----------------|
| 1750 x 630 x 1130                | 600 22 001.51M |
| 1930 x 630 x 1130                | 600 22 002.51M |

- Optionally available with drawers (compartment below)

| Fitted with | Drawer front height mm | Depth mm | Product no.    |
|-------------|------------------------|----------|----------------|
| 2 drawers   | 1 x 175 / 1 x 300 mm   | 540      | 600 22 011.19M |
| 2 drawers   | 1 x 175 / 1 x 300 mm   | 795      | 600 22 012.19M |



- Quick access to the most important equipment through side doors (optionally left or right), roller shutters and internal drawers, without having to climb onto the bed (depending on design)
- Sturdy surfaces: Sides and floors in galvanised steel, lid made of aluminium chequer plate, body with edge protection profiles
- Adjustable feet protect against moisture ingress



## bottTainer with roller shutters



| External dimensions W x D x H mm | Fitted with  | Product no.    |
|----------------------------------|--|----------------|
| 1360 x 710 x 1060                | 3 drawers, 2 S-trays, deposit tray with shelf boxes        | 600 21 003.51M |
| 1360 x 710 x 1060                | 6 drawers, drop-front shelf, deposit tray with shelf boxes | 600 21 004.51M |

**Information:**  
Additional designs available upon request.

## Accessories



| Product no.                                       | Product no.    |
|---|----------------|
| 4 crane eyes, galvanised                          | 900 99 590.63  |
| Forklift base, galvanised, incl. mounting set     | 600 20 018.51M |
| Forklift base for bottTainer with roller shutters | 600 21 006.51M |



[www.bott.de](http://www.bott.de)

Bott GmbH & Co. KG, Bahnstraße 17, 74405 Gaildorf, Germany

dialog-*aktiv*: Telefon: +49 (0)79 71 / 251-251, Telefax: +49 (0)79 71 / 251-205